






## MDS-RCA Training: Agenda > History of MDS-RCA > Purpose: > Definitions > Schedule of Assessments > Case Mix Index, RUGs > Accuracy and Sanctions > MDS-RCA Assessment Tool > Correction Policy > Quality Indicators





















And... Why do we need to do MDS-RCA
Assessments?

1. To provide information to guide staff in
developing a realistic individualized Service
Plan.
2. To place a resident into a payment
group within the Case Mix System.
3. To provide information that determines
the Quality Indicators.
4. To show an accurate picture of the
resident's condition, the type and amount
of care needed



Δ



When to complete a Significant Change MDS-RCA assessment:

Resident has experienced a "major change"


Not self-limited

Impacts more than one area of the resident's clinical status

Requires review and/or changes to the service plan

Improvement or decline

Completed by the end of the 14<sup>th</sup> day following the documented determination



## MDS-RCA Training: Timeliness and Accuracy Accuracy Each assessment must be conducted or coordinated by staff trained in the completion of the MDS-RCA. Documentation is required to support the time periods and information coded on the MDS-RCA. (MBM, chapter III, Section 97, Appendix C, §7030.3) Penalty for Falsification: The provider may be sanctioned whenever an individual willfully and knowingly certifies (or causes another individual to certify) a material and false statement in a resident assessment.

MDS-RCA Training: Case Mix Review Case Mix Quality Assurance Review assessments.

About every 6 months, a Case Mix nurse reviews a number of MDS-RCA assessments and resident records to check the accuracy of the MDS-RCA

Insufficient, inaccurate or lack of documentation to support information coded on the MDS-RCA may lead to an error.

MDS-RCA Training

Poor Documentation could mean...

Lower payment than the facility could be receiving, OR

Overpayment which could lead to repayment to the State (Sanctions). This is due to either overstating the care a resident received or insufficient documentation to support the care that was coded.






5 categories:
 Impaired Cognition
 Clinically Complex
 Behavioral Health
 Physical
 Default or Not Classified


The Department assigns each case mix classification group a specific case mix weight, as follows...

	MAI	NECARE RCF RESOURCE GROU	JP WEIGHTS
Resident	Order	Short description	MaineCare Weight
IG1	1	IMPAIRED 15-28	2.250
131	2	IMPAIRED 12-14	1.568
IA1	3	IMPAIRED 0-11	1.144
CD1	4	COMPLEX 12-28	1.944
CC1	6	COMPLEX 7-11	1.593
CB1	6	COMPLEX 2-6	1.205
CA1	7	COMPLEX 0-1	0.938
MC1	8	BEHAVIORAL HEALTH 16-28	1.916
MB1	9	BEHAVIORAL HEALTH 5-15	1.377
MA1	10	BEHAVIORAL HEALTH 0-4	0.980
PD1	11	PHYSICAL 11-28	1.418
PC1	12	PHYSICAL 8-10	1.019
PB1	13	PHYSICAL 4-7	1.004
FA1	14	PHYSICAL 0-3	0.731
BC1	16	NOT CLASSIFIED	0.731


	oro io dotoriiiii	ed as fo	llows
ADL Function	Self-Performance	MDS- RCA Code	ADL Scor
1. Bed Mobility (G1aa)	Independent	0	0
2. Transfer (G1ba)	Supervision	1	1
3. Locomotion (G1ca)	Limited Assistance	2	2
4. Dressing (G1da)	Extensive	_	_
5. Eating (G1ea)	assistance	3	3
6. Toilet Use (G1fa)	Total Dependence	4	4
7. Personal Hygiene (G1g	Activity did not	8	4





	Clinicall	y Con	plex G	Groups	3	
	At least one of the following conditions:			3 - 3		
	If a=1: diatetics receiving daily injections					
	II n aphasia					
	If st cerebral paley					
	II v: hemipares schemiplegia					
	ITW: MS					
	If z. quadriplegia					
	Hww: explicit terminal progresss	9	CAI	0.1	Complex	0.93
	M2a,b,c or d (coded >0); ulcers due to				low ADI	0.53
	pressure or decreased blood flow					
	O4ag=7: dabelics receiving daily injections					
Complex	Plac radiation (chemotherapy					
	Plab: oxygen					
	P1bda>5: inspiratory therapy 5 or more days per week					
	P3a=1, 2, or 3: monitoring for acute ponditions	10	CB1	2-6	Complex medium ADL	1.20
	P3b=1, 2, or 3: monitoring for acute conditions	11	001	7-11	Complex high ADL	1.59
	P10N3 meaning 4 or more <u>days</u> with physician order changes	12	CD1	12-28	Complex very-high ADL	1.94





Not Classified	MDS-RCA RUG tems contain invalid or missing data	1	BC1	rựa	Default	0.7.
		2	PA1	0-3	Physical low ADL	0.73
Discolari	No additional Items, assistance with AOL	3	PB1	4-7	Physical medium ADL	1.00
Physical	only	4	PCI	3-10	Physical high ADL	1.0
		5	PD1	11-28	Physical very-high ADL	14










































## POP QUIZ I A. Mr. Q was taken to the toilet after every meal, before bed, and once 0 - Continent - Complete control during the night. He was never found Usually Continent – Bladder, incontinent episodes occur once a week or less. Bowel incontinent episodes occur less than once a B. Mr. R had an indwelling catheter in place during the entire 14-day assessment period. He was never 2 - Occasionally Incontinent -Bladder incontinent episode occur two or more times a week but not daily. Bowel incontinent episodes C. Although she is generally continent of urine, every once in a while (about 3 - Frequently Incontinent — Bladder, tended to be incontinent daily, but some control present (e.g., on day shift) Bowel, 2-3 times a week. once in two weeks) Mrs. T doesn't make it to the bathroom in time after receiving her daily diuretic pill D. Late in the day when she is tired, 4 - Incontinent - Bladder incontinent episodes occur multiple times daily. Bowel incontinence is all (or almost all) of the time. Mrs. A sometimes (but not all days) has more episodes of urinary incontinence.



































































The link to the SMS website can be found on the Muskie School of Public Service, Minimum Data Set (MDS) Technical Information website:

http://muskie.usm.maine.edu/mds/
Click on the link and the SMS log-in screen will appear.
Type in your username and password and hit the Log In button to enter the site.






	Clini	ically Complex
MDS RCA item and reference	Field	Documentation Requirement
		Clinically Complex
11a and 04Ag pg. 69 and 90	Diabetes receiving daily insulin injections  Achaela	Physician's diagnosis of dishetes, and     receiving daily injections of insulin  Definition: A speech or language disorder caused by
pg 64		disease or injury to the brain resulting in difficulty expressing thoughts (i.e., speaking, writing), or understanding spoken or written language.  Documentation requirements:
	11	difficulty must be noted in the resident chart     physician's diagnosis in the record     Current diagnosis and active treatment
ρg. 69	Cerebral Palsy	physician's diagnosis     Current diagnosis and active treatment
ltv.	Hemiplegia/Hemiparesis	physician's diagnosis     Current diagnosis and active treatment

Hw Hww	Multiple Sclerosis  Explicit Terminal  Prognosis	physician's diagnosis     Current diagnosis and addre freatment     A physician has put in the record that the resident terminally it and expected to have no more than 6 months to live.     This should be substantiated with a consumertation of diagnosis and determinating clinest condition.
11z	Guedrio egia	<ul> <li>A physician diagnosis of paralysis of all four limbs.</li> <li>Current diagnosis and active treatment</li> </ul>
Mib	Burns – 2" or 3" degree	Confirmation of the degree of the burn by the physician. In accordance with the Maine State Basto of Nursing, the determination of degree of a burn must be decumented by a physician.     The state of a burn can be decumented by a registered muse or physician.     Current diagnosis and safety beatment.
M2	Ulcers	Uces must be staged by a registered hinse or physician, during the observation and offer the MDR-RCA.  • Current diagnosis and active treatment. • Parrodic evolution by a Registered Nurse. Note the definition of Tuice of duction you cause means any lessor caused by pressure or parreased blood resulting in damage to underlying testing.
P133	Chemotherapy	Any type of anti-bander drug given by any route.     Eddende in the resident record. Chambharapy can only be caded if administered for a diagnosis of cancer.
Plaa	Radiation	Redistion therapy or implient.     Evidence in the resident record.     Radiation therapy can only be coded if administered for a disposals of career.
P1ab	Oxygen	<ul> <li>physician's order</li> <li>administered during the past 14 days.</li> </ul>

MDS RCA	Field	Documentation Requirement
P1bdA	Respiratory Therapy 5 or more days per week	Physician order     Performed by a qualifact therapy at     Documentation of frequency, and the     Qualified professional must be with resident at less fill minutes per day and at less 5 days per week. Includes only therapies based on a frengate's assessment and treatment plan that is documented in the resident's clinical tracers.
P3	Need for on-going manifering	The need for monitoring must be determined, checked and downwends by a prediction or a registered muss.  The need for on-going monitoring for: A nature condition. A chindness condition that exposite before a manuse appears. A new treatment or medication. Documentation that monitoring has been provided by the person responsible within the look back period.
P10	4 or more order change days	Code the number of days on which physician codes were charged.     Writen, salephores, fix, or consultation indies for new or altered firstwhent.     Dees NOT include admission orders, return admission orders, our flying, or renews orders without changes.

	Acres total	ition and Problem Behavior
MDS RCA item and reference	Field	Decumentation Requirement
		Impaired Cognition
B3, pg 29	Cognitive Skills for Daily Decision Making	Documentation of the resident's screet performance in making everyday decisions about tasks or activities of daily living within the look back period.
		Documentation must support the coding selected.
MDS RCA	Field	Documentation Requirement
	AND DESCRIPTION OF THE OWNER.	Problem Behavior and Conditions
E1a-E1r, pg 34	Indicators of Depression	Evidence and observation of the identified indicators must be present in the resident record within the look back perior
Jim, pg 66	Delusions	Documentation in the resident record should describe examples of fixed, false beliefs, not shared by others even when there is crivious good or evidence to the contrary, the occurred within the look back period.
J1f, pg 68	Hallucinations	Documentation in the resident record should describe examples of tackle, society, viscel, guistrory, offscrory false perceptions in the absence of any mail strong that populated within the look hack period.
P2a - P2j	Intervention Programs for Mood, Behavior,	Documentation that the resident has received any intervention and/or strategies in the last seven days.
	Cognitive Loss	Service plan should include the evaluation for and the provision of these services as well as the outcomes of treatment.








Quality Indicator Reports


The "PNMI Residential Care Facility Quality Indicator" report is prepared & mailed to each facility every 6 months.

MDS-RCA Training: Quality Indicators Q11 Proukeur of Blacke basefeater (digit Pages of basefeater) Q120 Inciding of Decline in Late Law APLs - Low Piec. Q17 Providence of Bird for Lacontherus Class Degree of Incontinence; Q17 Prevalence of Bowel Incommence (High Tagger of Incommence) QL22 Theidstee of Decline in Darly Loss ADLs - Fligh Field Q1.1 Providence of Bizider Incominence without Scheduled To living Plan QL23 Incidence of Decline in Early Less ADLs - Lew Risk Q16 Prostore of Fulls QL2s therdered improvement in burly Loss ADLs QLE Prevalence of Behavioral Symptoms without Balantic Management Program CH27 Programs of Programs Regard Navy in high scorting Q19 Providing of Resident using 9 or more Madinations in last 9 days including PA9s. QL28 Providence of Househal Stay on Lack months QUA: Produce of Kantan using Former Sentation Medicates in tail (days)
QUA: Produce of Captive Insument Q129 Providence of Words Line QUIT Product of Medical Long Terr Cognitive Experimen QLSL Previous of Figh Case Mile Takes QUIT Prevalence of Arti-Psycholic Tings CLSS - Providence of their franching without their Management QUID Pronkrice of Assisted Sign. Q134 Providence of Amis-Representation in Absence of Diagnosis QLM Tiss/emenfff/zesidiem any Cross QC17 Providence of Signs of Discress or Sed-Assistant Mond. Ol 36 Topologic of Peculiary Institution Q118 Inchese of Bedievin Law Loss ADCs QUIS - frederice of Decime in Law Loan ADCs - High Risk














	Contact Information	
11.	• MDS Help Desk: 624-4019	
	MDS3.0.DHHS@maine.gov	
1	Lois Bourque RN: 592-5909 Lois Bourque@maine.gov	
19	Darlene Scott-Rairdon RN: 215-4797	
X	Darlene.Scott@maine.gov	
1/	Maxima Corriveau RN: 215-3589	
1/1	Maxima.Corriveau@maine.gov	
1	Heidi Coombe RN: 441-6754	
17	Heidi.L.Coombe@maine.gov	
	Over Directte DNI, 007 0000	
1	Sue Pinette RN: 287-3933     Suzanna Pinette @maina gay	
10	Suzanne.Pinette@maine.gov	85